



# DRIVETEC

Drainage channel suitable for driveways,  
residential areas and public spaces





## Applications

- Driveways
- Car ports
- Public spaces
- Residential areas
- Shopping centres



# DRIVETEC

DRIVETEC PA 100 class B 125, with locked composite grating, 1,0 m.



Length mm	Height mm	Width mm	Weight Kg	Internal channel cross-section cm <sup>2</sup>
1000	134	141	3.26	95.0

## DRIVETEC System

Product description	Item no.
DRIVETEC PA 100 Channel Class B 125 with Grating	10237
DRIVETEC PA 100 End Cap	10050
DRIVETEC PA 110mm Vertical Adaptor	10056

The system is CE marked to EN 1433, Load Class B 125 and is suitable for areas trafficked by large cars/4x4s.



## DRIVETEC features and benefits

### Rust free grating

Composite grating will not oxidise and maintains its appearance over time.



### Virtually unbreakable

Robust composite material withstands impact damage during transport and during movement on site.

### Superior performance

Drainage cross-section of 95cm<sup>2</sup> offers best-in-class hydraulic performance.



### Safe to lift

Weighing 3.26kg, DRIVETEC is easy to manoeuvre and quick to install.

### Sustainable choice

Channel bases are made from recycled polypropylene (equivalent to 42 recycled 0.5l bottles per 1m length) and are 100% recyclable at the end of life.



## Applications



Driveways



Residential



Public areas

# Services



Design Take Offs



Hydraulic Design Software



Value Engineering



Designated Project Specialists



In-house Technical Support

Explore  
**RECYFIX**



Discover  
**FASERFIX**



Scan QR to view our  
full product range.